


WATER SPLASH CATALOG



Water Splash
Experience the Ultimate
Aquatic Thrill



Content

About us	4
Product Standards and Quality	5
Product Warranty	7
Color Charts	8
Application Areas	12
Design-Installation	14
Themes	16
Nature Theme	18
Ocean Theme	20
Jungle Theme	22
Sports Theme	24
Farm Theme	26
Pirate Theme	28
Custom Themes	30
 365 Splash Park[®] NEW!	32
Splash Towers & Slides	36
Ground Sprays & Led Lights	38
Water Management	40
Products	44
Product Index	64

About Us

Water Splash has been at the forefront of innovation in aquatic play equipment since its establishment in 2003. With a strong presence in Canada, the USA, Spain, and France, we have grown into a local leader in delivering unique, fun, and safe water play solutions. Our commitment to excellence has been the driving force behind our growth, making us a preferred choice for communities, parks, recreational centers, and private developers seeking to create memorable aquatic experiences.

At Water Splash, we believe that water play should be more than just fun—it should be a transformative experience that brings people together, fosters creativity, and promotes active lifestyles. Our wide range of products, from splash pads and water playgrounds to interactive water features, is designed to do just that. Each piece of equipment is crafted with meticulous attention to detail, combining state-of-the-art technology with durable materials to withstand the elements and ensure lasting enjoyment.

We pride ourselves on being a full-service provider, offering comprehensive turnkey solutions that cover every aspect of the project, from initial design and planning to manufacturing, installation, and ongoing maintenance. Our team of skilled designers, engineers, and project managers work closely with clients to understand their vision and deliver tailored solutions that fit their specific needs and budget. Whether it's a compact urban splash pad or a sprawling water playground in a rural setting, Water Splash brings the same level of dedication and expertise to every project.

Safety is at the core of everything we do. We adhere to the highest industry standards, conducting rigorous testing to ensure that our products are not only fun and engaging but also safe for users of all ages. Our equipment is designed to minimize risks,

with features such as slip-resistant surfaces, gentle water flow, and rounded edges, giving parents and caregivers peace of mind while children enjoy endless hours of play.

Being local in Canada, the USA, Spain, and France means we understand the unique cultural and environmental needs of each region we serve. We are committed to sustainability, using eco-friendly materials and processes that minimize our environmental footprint. Our localized approach also allows us to respond quickly to client needs, provide personalized service, and build lasting relationships based on trust and mutual respect.

Water Splash is more than just a supplier of aquatic play equipment—we are creators of experiences that leave a lasting impression. We strive to create spaces where laughter echoes, imaginations soar, and communities connect. With every project, we aim to push the boundaries of what water play can be, delivering innovative solutions that inspire and delight.

Join us in our mission to bring the joy of water play to people of all ages and backgrounds. Discover the Water Splash difference—a combination of creativity, quality, safety, and local expertise that ensures your aquatic play area will be a destination everyone will love.

COOPERATIVE PURCHASING

Cooperative purchasing with Equalis and Water Splash provides a streamlined, cost-effective solution for acquiring top-quality aquatic play equipment. Through this partnership, communities and organizations gain access to Water Splash's innovative, safe, and durable products with the benefits of simplified procurement processes, pre-negotiated pricing, and compliance with public purchasing regulations. By leveraging the power of cooperative purchasing, Water Splash and Equalis make it easier than ever to create exceptional water play experiences for everyone.



Water Splash products are built with durability and safety in mind, utilizing high-quality 304/316 stainless steel that is professionally welded, sandblasted, and oven-cured with a robust powder coating to ensure maximum resistance against corrosion and wear. Our commitment to quality extends to every detail, with stainless steel hardware that is tamper-proof to enhance security and longevity. Each piece of equipment is meticulously engineered to meet and exceed the requirements of ADA, ASTM 1487, ASTM F2461, CSA Z614, SS 457, EN 1176, and ASTM F2376 standards, ensuring safety, accessibility, and superior performance in all environments. This rigorous construction process guarantees that our aquatic play products offer both long-lasting durability and an exceptional play experience for users of all ages and abilities.

Our Standards

Child safety has the utmost importance to us and it is what distinguishes Water Splash from others. Water Splash can produce a wide variety of park equipment bound to safe equipment standards that ensure safe and secure play for children. Water Splash also designs its parks that are always accessible for children with disabilities.





- All metal products are made of 304/304L stainless steel material.
- Nozzles, water openings and sprayers are made of C360 brass material.
- Water Splash provides special tamper-resistant tools. All products are offered with winter caps.
- The painted finish of all equipment is a high-quality, UV-resistant powder coating of oven-cured glossy polyester, with stabilizers and chlorinated water resistance.
- Spray nozzles are recessed, welding marks are invisible (buffed and polished) and equipment is pressure tested for leakage.
- Products comply with the ADA (Americans with Disabilities Act) and CDA (Canadians with Disabilities Act).

Product Warranty

Water Splash Inc. guarantees that all products meet the specifications provided in the installation drawings and offers.

25 YEAR WARRANTY on stainless steel structures and workmanship, stainless steel anchoring systems and aluminum spheres, stainless steel Piping and Weldments.

5 YEAR WARRANTY on Acetyl, Urethane/HPDE parts, spray nozzles and spray openings, high density polyethylene components, polyurethane components, stainless steel automated water distribution manifold, drain boxes and electrical enclosures.

2 YEAR WARRANTY on coatings (Airbrushed Graphics), powder coated, stainless steel hardware and moving parts, fiberglass components, see flow polymers (polycarbonate materials), toe guards, piping, fittings, ball valves, pressure gauges, terminal blocks, PL controller, time switches, manual switches, transformers, breakers, electrical wiring, connections and on recirculation system workmanship, recirculation system pumps and filters are covered by their manufacturer. Please refer to their warranty documentation.

1 YEAR WARRANTY on all products and parts not listed above. Warranty above is valid only if structures are installed or assembled as per Water Splash's installation instructions/drawings maintained according to maintenance manual and procedures, not subject to misuse, vandalism, operated under normal use as per designed purpose or have not modified/repared by unauthorized personnel.



Color Charts

Polyester Parts



Light Blue



Night Blue



Red



Lilac



Dark Green



Light Green



Orange



Pink



Yellow



Lemon Yellow



Melon



Dark Brown



Light Brown



Raspberry



Ocean Green



Turquoise



Pastel Turquoise



Grey



White



Beige

Color Charts

Stainless Steel Parts



Light Blue



Night Blue



Red



Lilac



Dark Green



Light Green



Orange



Pink



Yellow



Lemon Yellow



Melon



Dark Brown



Light Brown



Raspberry



Ocean Green



Turquoise



Pastel Turquoise



Grey



White



Beige

Color Charts

Buckets



Light Blue



Night Blue



Red



Lilac



Dark Green



Light Green



Orange



Pink



Yellow



Lemon Yellow



Melon



Dark Brown



Light Brown



Raspberry



Ocean Green



Turquoise



Pastel Turquoise



Grey



White



Beige

Color Charts

Translucent Parts



Light Blue



Red



Lilac



Light Green



Orange



Lemon Yellow



Light Brown

Application Areas

SAFE
INCLUSIVE
FUN



Urban Spaces & Community Parks




Hotels & Resorts



Water & Amusement Parks



**Apartment Complexes, Condominiums,
and Housing Developments**




Design – Installation



Project Planning

- Professional 3D visualization and CAD drawings of park layout
- Detailed budget planning
- Project planning with milestones
- Committed team for customer support



Installation Solutions

- Turn-key design build
- Custom designs on demand
- Technical installation including plumbing and electrical connection
- Full or partial project supervision
- System start-up / winterization services



THEMES

P



ure

Farm

Ocean

Pirate

Sports

Jungle



Nature





Ocean





Jungle





Sports





Farm





Pirate





Custom Themes



Army & First Responder



Native

Cowboy





NEW! 365 Splash Park®

Unleash the Year-Round Fun!



Unleash the Year-Round Fun!

From heart-pounding summer splashes to adrenaline-pumping winter workouts, 365 Splash Park is your passport to non-stop excitement!




Safety First

Dive into peace of mind with meticulously designed features ensuring a worry-free adventure for all.

Innovation Galore


Immerse yourself in a world of cutting-edge technology and jaw-dropping design elements that redefine the meaning of entertainment.







365 Splash Park®



Splash Towers & Slides



Body Slides


Splash Towers

Family Slides


Kids Slides

Speed Slides

Drop Slides




Ground Sprays & Led Lights



**Maximize the use of your splash park
throughout the day with led lights**

From concept...









...to reality!


Water Management



Water Management Options



Recirculation System



1 INGROUND FEATURES

2 ABOVE GROUND FEATURES

3 ACTIVATOR

Activator is a sensor unit; kids interact to activate play function of Splash Park. Activator sends a signal to Water Wise controller and play features starts functioning.

4 DRAIN

Drain is located in several location of splash park in order to collect all water in play area to storage tank.

5 STORAGE TANK

Storage tank is a container where drain from Splash Park connects to. Water stored in constantly filtered by Water Management System.

6 WATER MANAGEMENT SYSTEM (WMS)

Factory assembled and tested, skid mounted Water Management System (WMS) is an engineered system for Splash and Aqua Parks. Each system is unique and meets local health code of project location. Water stored in holding tank is constantly filtered by WMS.

7 WATER WISE CONTROLLER & MANIFOLD

Water Wise Controller is brain of Splash Park, and controls Water Management System components and manifold valves. Manifold is the connection to each play equipment, and operates on/off linked to Water Wise controller.

Water Management Tools



Controller



Manifold



Drain Box



Holding Tanks



Equipment Skid



Drain away System



Recirculation System



Vaults

PRODUCTS



AQUA FLOWER
S-01.01

Dimension (inch/cm): h: 134" - 330 cm w: ϕ 90" - ϕ 228 cm
Flow Rate: 18-32 gpm - 68-121 lpm
Pressure: 8-14 psi - 0.5-0.9 bar
Spray Zone (inch/cm): ϕ 144" - ϕ 367 cm



WOOLY BEAR MAYPOLE
S-01.01.09

Dimension (inch/cm): h: 133" - 338 cm w: 26.7" - 68 cm
Flow Rate: 18-32 gpm - 68-121 lpm
Pressure: 8-14 psi - 0.5-0.9 bar
Spray Zone (inch/cm): ϕ 100" - ϕ 255 cm



PALM TREE
S-01.02

Dimension (inch/cm): h: 138" - 350 cm w: 100" - 255 cm
Flow Rate: 18-32 gpm - 68-121 lpm
Pressure: 8-14 psi - 0.5-0.9 bar
Spray Zone (inch/cm): ϕ 156" - ϕ 397 cm



BUTTERFLY SPLASH II
S-01.03

Dimension (inch/cm): h: 158" - 400 cm w: 100" - 255 cm
Flow Rate: 18-32 gpm - 68-121 lpm
Pressure: 8-14 psi - 0.5-0.9 bar
Spray Zone (inch/cm): ϕ 156" - ϕ 397 cm



UMBRELLA FIBERGLASS Top-5'
S-01.07.02

Dimension (inch/cm): h: 125-318 w: 60-153
Flow Rate 55-95gpm 200-350lpm
Pressure 4-12(psi) 0,4-0,8(bar)
Spray Zone (inch/cm) ϕ 118" - ϕ 300 cm



NESSIE AND TAIL II
S-01.09.07

Dimension: h: 140" - 355 cm
w: 98" - 250 cm
Flow Rate: 18-32 gpm - 68-121 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone: ϕ 369" - ϕ 937 cm



AQUA WURNY
S-01.09.08

Dimension (inch/cm): h: 39.7" - 101 cm
w: 15.5" - 39.5 cm
Flow Rate: 18-32 gpm - 68-121 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ϕ 369" - ϕ 937 cm



AQUA BUCKETS
S-01.14

Dimension (inch/cm): h: 120" - 305 cm w: 80" - 203 cm
Flow Rate: 18-32 gpm - 68-121 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ϕ 168" - ϕ 427 cm



AQUA ONE BUCKET
S-01.14.01

Dimension (inch/cm): h: 120" - 305 cm w: 45" - 114 cm
Flow Rate: 8-16 gpm - 30-60 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ϕ 90" - ϕ 228 cm



WATER FALL
S-01.16

Dimension (inch/cm): h: 120" - 305 cm w: 80" - 203 cm
Flow Rate: 80-88 gpm - 302-333 lpm
Pressure: 12-18 psi - 0.8-1.25 bar
Spray Zone (inch/cm): ϕ 144" - ϕ 366 cm



LASSO FLOWER
S-01.16.04

Dimension (inch/cm): h: 127.9" - 325 cm w: 72.8" - 185 cm
Flow Rate: 30-50 gpm - 113-189 lpm
Pressure: 10-15 psi - 0.68-1.03 bar
Spray Zone (inch/cm): ϕ 95" - ϕ 240 cm



AQUA HYDRANT
S-01.18

Dimension (inch/cm): h: 51.3" - 103 cm w: 6" - 16 cm
Flow Rate: 8-14 gpm - 30-53 lpm
Pressure: 14-18 psi - 1-1.25 bar
Spray Zone (inch/cm): ϕ 132" - ϕ 335 cm

PRODUCTS



EAGLE POST II
S-01.19.11

Dimension (inch/cm): h: 145.6" - 370 cm w: 52" - 132 cm
Flow Rate: 15-20 gpm - 57 lpm
Pressure: 8-12 psi - 0.6 bar
Spray Zone (inch/cm): ø83" - ø211 cm



PEACOCK
S-01.19.16

Dimension (inch/cm): h: 137.8" - 350 cm w: 56" - 142 cm
Flow Rate: 8-16 gpm - 30-60 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø168" - ø427 cm



COWBOY HAT
S-01.20.01

Dimension (inch/cm): h: 125" - 318 cm w: ø30" - ø76 cm
Flow Rate: 15-20 gpm - 56-75 lpm
Pressure: 6-8 psi - 0.4-0.5 bar
Spray Zone (inch/cm): ø75" - ø190 cm



PIRATE HAT
S-01.20.02

Dimension (inch/cm): h: 125" - 318 cm w: ø30" - ø76 cm
Flow Rate: 15-20 gpm - 56-75 lpm
Pressure: 6-8 psi - 0.4-0.5 bar
Spray Zone (inch/cm): ø75" - ø190 cm



SHOWER TOWER
S-01.22

Dimension (inch/cm): h: 180" - 457 cm w: 62" - 157 cm
Flow Rate: 15-25 gpm - 56-95 lpm
Pressure: 6-8 psi - 0.4-0.5 bar
Spray Zone (inch/cm): ø166" - ø422 cm



COWBOY TOWER
S-01.22.01

Dimension (inch/cm): h: 180" - 457 cm w: 62" - 157 cm
Flow Rate: 15-25 gpm - 56-95 lpm
Pressure: 6-8 psi - 0.4-0.5 bar
Spray Zone (inch/cm): ø166" - ø422 cm



RAIN TANK
S-01.22.03

Dimension (inch/cm): h: 280" - 711 cm w: 106" - 269 cm
Flow Rate: 35-42 gpm - 132-159 lpm
Pressure: 18-25 psi - 1.2-1.7 bar
Spray Zone (inch/cm): ø 230" - ø 585 cm



THREE BUCKETS
S-01.23

Dimension (inch/cm): h: 120" - 305 cm w: 100" - 255 cm
Flow Rate: 15-25 gpm - 56-95 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø168" - ø427 cm



**THREE BUCKETS
SOCCER THEME**
S-01.23.01.01

Dimension (inch/cm): h: 120" - 305 cm w: 100" - 255 cm
Flow Rate: 15-25 gpm - 56-95 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø168" - ø427 cm




THREE BUCKETS WOLF
S-01.23.08

Dimension (inch/cm): h: 161.8" - 411 cm w: 95.2" - 242 cm
Flow Rate: 15-25 gpm - 56-95 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 168" - ø 428 cm



OLIVE TREE
S-01.23.14


Dimension (inch/cm): h: 141.7" - 360 cm w: 75.6" - 192 cm
Flow Rate: 15-18 gpm - 56-68 lpm
Pressure: 8-15 psi - 0.6-1 bar
Spray Zone (inch/cm): ø168" - ø428 cm



AQUA CACTUS
S-01.25

Dimension (inch/cm): h: 139" - 353 cm w: 67" - 170 cm
Flow Rate: 19-25 gpm - 72-94 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø198" - ø502 cm

PRODUCTS



AQUA PERGOLA S-01.27.03

Dimension (inch/cm): h: 130" - 331 cm
w: 188" - 480 cm
L136" - 344 cm
Flow Rate: 25-32 gpm - 94-121 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 188" - ø 480 cm



FIVE BUCKETS S-01.28

Dimension (inch/cm): h: 122" - 310 cm w: 100" - 255 cm
Flow Rate: 25-32 gpm - 94-121 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 168" - ø 427 cm



FIVE BUCKETS SOCCER THEME S-01.28

Dimension (inch/cm): h: 122-310 w: 100-255
Flow Rate: 25-32gpm 94-121lpm
Pressure: 8-15(psi) 0.5-1(bar)
Spray Zone (inch/cm): 168-427



ROOSTER BUCKETS S-01.28.03

Dimension (inch/cm): h: 145-368 w: 100-255
Flow Rate: 25-32gpm 94-121lpm
Pressure: 8-15(psi) 0.5-1(bar)
Spray Zone (inch/cm): 168-427




AQUA OCEAN FIVE BUCKETS S-01.28.04

Dimension (inch/cm): h: 144.5" - 367 cm w: ø100" - ø255 cm
Flow Rate: 25-32 gpm - 94-121 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø168" - ø427 cm



ACORN FIVE BUCKETS S-01.28.05

Dimension (inch/cm): h: 140" - 358 cm w: ø98" - ø203 cm
Flow Rate: 25-32 gpm - 94-121 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø168" - ø427 cm



LEMON FIVE BUCKETS S-01.28.07

Dimension (inch/cm): h: 134.6" - 342 cm w: 107" - 272 cm
Flow Rate: 25-32 gpm - 94-121 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø168" - ø427 cm



APPLE TREE BUCKET S-01.28.09

Dimension (inch/cm): h: 158.5" - 403 cm w: 90.5" - 230 cm
Flow Rate: 8-15 gpm - 30-56 lpm
Pressure: 10-25 psi - 0.5-1 bar
Spray Zone (inch/cm): 150" - ø380 cm



CAT TAIL S-01.30

Dimension (inch/cm): h: 51.3" - 103 w: 64-16
Flow Rate: 8-14gpm 30-53lpm
Pressure: 14-18(psi) 1-1.25(bar)
Spray Zone (inch/cm): 132"-335 cm



SHOWER CURTAIN S-01.33

Dimension (inch/cm): h: 127"-322cm w: 50"-127cm
Flow Rate: 8-16gpm 30-45lpm
Pressure: 8-15 psi 0.5-1 bar
Spray Zone (inch/cm): 80"-200cm



SHOWER CURTAIN WITH PARROT S-01.33.03

Dimension (inch/cm): h: 127" - 322 cm w: ø 45" - ø 114 cm
Flow Rate: 8-16 gpm - 30-45 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 90" - ø 228 cm



FOOTBALL GOAL POST S-01.37

Dimension (inch/cm): h: 157.4" - 400 cm w: ø 78.8" - ø 200 cm
Flow Rate: 8-16 gpm - 30-45 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 158" - ø 400 cm

PRODUCTS



TIGER SPRAY
S-01.40.01

Dimension (inch/cm): h: 145.2" - 369 cm w: 48" - 122 cm
Flow Rate: 15-20 gpm - 56-75 lpm
Pressure: 8-12 psi - 0.6 bar
Spray Zone (inch/cm): ø158" - ø427 cm



CARNIVOR PLANT
S-01.43.03

Dimension (inch/cm): h: 139" - 353 cm w: 44" - 114 cm
Flow Rate: 10-15 gpm - 37-56 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø108" - ø274 cm



AQUA TULIP
S-01.43

Dimension (inch/cm): h: 126" - 320 cm w: 32" - 81 cm
Flow Rate: 8-15 gpm - 30-56 lpm
Pressure: 14-18 psi - 1 bar
Spray Zone (inch/cm): ø120" - ø305 cm



GRASSHOPPER SPLASH
S-01.46

Dimension (inch/cm): h: 120" - 304 cm w: 48" - 122 cm
Flow Rate: 20-25 gpm - 80-95 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø50" - ø127 cm



AQUA ANCHOR
S-01.54

Dimension (inch/cm): h: 148.4" - 377 cm w: 135.4" - 344 cm
Flow Rate: 14-20 gpm - 50-70 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø100" - ø255 cm



AQUA SEA HORSE
S-01.55

Dimension (inch/cm): h: 135" - 343 cm w: 61.8" - 157 cm
Flow Rate: 20-25 gpm - 80-95 lpm
Pressure: 8-15 (psi) 0.5-1(bar)
Spray Zone (inch/cm): ø108" - ø274 cm



AQUA GRASS II
S-01.59.01

Dimension (inch/cm): h: 126" - 320 cm w: 47.6" - 121 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.6 bar
Spray Zone (inch/cm): ø198" - ø325 cm



AQUA WINDMILL
S-01.65

Dimension (inch/cm): h: 197" - 501 cm w: 79.5" - 202 cm
Flow Rate: 18-28 gpm - 68-106 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 180" - ø 457 cm



AQUA WHEAT
S-01.64

Dimension (inch/cm): h: 102.1" - 260 cm
Flow Rate: 7-11 gpm - 27-40 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø120" - ø304 cm



AQUA SURFBOARD
S-01.67

Dimension (inch/cm): h: 65.7" - 167 cm w: 19.7" - 50 cm
Flow Rate: 8-16 gpm - 30-60 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



HOCKEY STICK
S-01.70.01

Dimension (inch/cm): h: 145.6" - 370 cm w: 50" - 127 cm
Flow Rate: 15-20 gpm - 56-75 lpm
Pressure: 14-18 psi - 1-1.2 bar
Spray Zone (inch/cm): ø100" - ø254 cm



PINEAPPLE POST
S-01.71

Dimension (inch/cm): h: 152.7" - 388 cm w: 26" - 66 cm
Flow Rate: 15-20 gpm - 56-75 lpm
Pressure: 8-16 psi - 0.6-1 bar
Spray Zone (inch/cm): ø 118" - ø 300 cm



PRODUCTS



HAY BALE
S-01.73

Dimension (inch/cm): h: 193.7" - 492 cm
w: 39" - 100 cm
Flow Rate: 50-70 gpm - 189-265 lpm
Pressure: 8-12 psi - 0.6 bar
Spray Zone (inch/cm): ø100" - ø254mm



AQUA AHOY
S-01.80

Dimension (inch/cm): h: 125" - 320 cm w: 39" - 100cm
Flow Rate: 8-16 gpm - 30-60 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø90" - ø228 cm



BASKETBALL PLAYER
S-01.81

Dimension (inch/cm): h: 130" - 330 cm w: 68.8" - 175 cm
Flow Rate: 8-16 gpm - 30-60 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø90" - ø228 cm



TENNIS PLAYER
S-01.82.01

Dimension (inch/cm): h: 150" - 381 cm w: 92" - 234 cm
Flow Rate: 8-16 gpm - 30-60 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø90" - ø228 cm



RAILROAD SIGN II
S-01.85

Dimension (inch/cm): h: 101" - 257 cm w: 3.9" - 10 cm
Flow Rate: 10-12 gpm - 37-40 lpm
Pressure: 8-12 psi - 0.6 bar
Spray Zone (inch/cm): ø144" - ø366 mm



AQUA CORN STALK
S-01.87

Dimension (inch/cm): h: 165" - 420 cm w: 28.8" - 55 cm
Flow Rate: 7-11 gpm - 27-40 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø120" - ø304cm



AQUA MAIL CATCHER
S-01.91

Dimension (inch/cm): h: 106" - 270 cm w: 56" - 143 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø100" - ø254 cm



RAILROAD CROSSING GUARD
S-01.92

Dimension (inch/cm): h: 152" - 386 cm w: 35.4" - 90 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.6-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



RAILROAD CROSSING SIGN
S-01.93

Dimension (inch/cm): h: 122.4" - 311 cm w: 33" - 83 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.6-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



AQUA TURTLE
S-02.01

Dimension (inch/cm): h: 15.3" - 39 cm cm
w: 37.7" - 96 cm
Flow Rate: 8-10 gpm - 30-36 lpm
Pressure: 6-10 psi - 0.4-0.6 bar
Spray Zone (inch/cm): ø100" - ø274 cm



AQUA LADY BUG
S-02.02

Dimension (inch/cm): h: 26" - 66 cm w: 37" - 93 cm
Flow Rate: 8-10 gpm - 30-36 lpm
Pressure: 6-10 psi - 0.4-0.6 bar
Spray Zone (inch/cm): ø100" - ø274 cm



AQUA BARREL
S-02.03

Dimension (inch/cm): h: 45" - 114 cm
w: 25" - 63.5 cm
Flow Rate: 6-10 gpm - 23-37 lpm
Pressure: 15-20 psi - 1-1.03 bar
Spray Zone (inch/cm): ø60" - ø152cm


PRODUCTS



AQUA VARREL
S-02.03.01
 Dimension (inch/cm): h: 29.9" - 76 cm
 w: 23.2" - 59 cm
 Flow Rate: 6-10 gpm - 23-37 lpm
 Pressure: 15-20 psi - 1-1.3 bar
 Spray Zone (inch/cm): ø60" - ø152cm



TIGER LOOP
S-02.04.01
 Dimension (inch/cm): h: 95.2" - 242 cm w: 41" - 104 cm
 Flow Rate: 10-12 gpm - 36-48 lpm
 Pressure: 8-12 psi - 0.5-0.8 bar
 Spray Zone (inch/cm): ø144" - ø365 cm



AQUA NATURE IV
S-02.07
 Dimension (inch/cm): h: 40" - 100 cm w: 16.6" - 40.5 cm
 Flow Rate: 12-18 gpm - 45-68 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø102" - ø259 cm



AQUA NATURE FROG II
S-02.08.04
 Dimension (inch/cm): h: 98.4" - 250 cm w: 59.8" - 152 cm
 Flow Rate: 15-20 gpm - 56-75 lpm
 Pressure: 8-12 psi - 0.5-0.8 bar
 Spray Zone (inch/cm): ø 102" - ø 259 cm



AQUA NATURE BUG III
S-02.08.08
 Dimension (inch/cm): h: 31.5" - 80 cm w: 19.6" - 50 cm
 Flow Rate: 8-14 gpm - 30-53 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø 60" - ø 152 cm



AQUA STARFISH
S-02.08.12
 Dimension (inch/cm): h: 43.7" - 111 cm w: 14.6" - 37 cm
 Flow Rate: 7-11 gpm - 26-41 lpm
 Pressure: 8-15 psi - 0.6 bar
 Spray Zone (inch/cm): ø40" - ø101cm



AQUA SPHERE I (24)
S-02.09.01
 Dimension (inch/cm): h: 26" - 60 cm
 w: 26" - 60 cm
 Flow Rate: 5-7 gpm - 19-26 lpm
 Pressure: 4-6 psi - 0.3-0.6 bar
 Spray Zone (inch/cm): ø35.4" - ø90 cm



AQUA SPHERE I (24) - SOCCER THEME
S-02.09.01.01
 Dimension (inch/cm): h: 26" - 60 cm w: 26" - 60 cm
 Flow Rate: 5-7 gpm - 19-26 lpm
 Pressure: 4-6 psi - 0.3-0.6 bar
 Spray Zone (inch/cm): ø35.4" - ø90 cm



AQUA SPHERE I (24) TENNIS THEME
S-02.09.01.02
 Dimension (inch/cm): h: 26" - 60 cm
 w: 26" - 60 cm
 Flow Rate: 5-7 gpm - 19-26 lpm
 Pressure: 4-6 psi - 0.3-0.6 bar
 Spray Zone (inch/cm): ø35.4" - ø90 cm



AQUA SPHERE II
S-02.09.02
 Dimension (inch/cm): 36" - 91 cm
 36" - 91 cm
 Flow Rate: 5-7 gpm - 19-26 lpm
 Pressure: 4-6 psi - 0.3-0.6 bar
 Spray Zone (inch/cm): ø70" - ø178 cm



AQUA SPHERE III
S-02.09.03
 Dimension (inch/cm): 48" - 128 cm w: 48" - 128 cm
 Flow Rate: 5-7 gpm - 19-26 lpm
 Pressure: 4-6 psi - 0.3-0.6 bar
 Spray Zone (inch/cm): ø53.1" - ø135 cm



BEACH BALL SPRAY
S-02.09.04
 Dimension (inch/cm): h: 26" - 60 cm
 w: 26" - 60 cm
 Flow Rate: 5-7 gpm - 19-26 lpm
 Pressure: 4-6 psi - 0.3-0.6 bar
 Spray Zone (inch/cm): ø35.4" - ø90 cm



PRODUCTS



PEARL AQUA SHAPES
S-02.22
 Dimension (inch/cm): h: 20" - 51 cm
 w: 34" - 87 cm
 Flow Rate: 4-6 gpm - 15-22 lpm
 Pressure: 6-10 psi - 0.4-0.7 bar
 Spray Zone (inch/cm): ø60" - ø152 cm



BASEBALL SPRAY
S-02.23
 Dimension (inch/cm): h: 16" - 40 cm w: 35.4" - 90 cm
 Flow Rate: 10-12 gpm - 36-48 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø83" - ø211 cm

FOOTBALL SPRAY
S-02.23.01
 Dimension (inch/cm): h: 16" - 40 cm
 w: 44" - 110 cm
 Flow Rate: 10-12 gpm - 36-48 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø83" - ø211 cm



BASKETBALL SPRAY
S-02.24
 Dimension (inch/cm): h: 16" - 40 cm
 w: 44" - 110 cm
 Flow Rate: 10-12 gpm - 36-48 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø83" - ø211 cm



SOCCER BALL SPRAY
S-02.25
 Dimension (inch/cm): h: 16" - 40 cm w: 44" - 110 cm
 Flow Rate: 10-12 gpm - 36-48 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø83" - ø211 cm

TENNIS BALL SPRAY
S-02.28
 Dimension (inch/cm): h: 16" - 40 cm
 w: 44" - 110 cm
 Flow Rate: 10-12 gpm - 36-48 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø83" - ø211 cm



GOLF BALL SPRAY
S-02.28.02
 Dimension (inch/cm): h: 16" - 40 cm
 w: 44" - 110 cm
 Flow Rate: 10-12 gpm - 36-48 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø83" - ø211 cm



SCORPION - AQUA FORMS
S-02.31
 Dimension (inch/cm): h: 130" - 330 cm w: 130" - 330 cm
 Flow Rate: 50-60 gpm - 150-170 lpm
 Pressure: 6-10 psi - 0.4-0.7 bar
 Spray Zone (inch/cm): ø220" - ø560 cm

AQUA SPIDER
PLAY SET
S-02.32
 Dimension (inch/cm): h 140" - 357 cm
 w ø199" - ø506 cm
 Flow Rate: 30-50 gpm - 113-189 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø220" - ø560 cm



AQUA SPIDER
PLAY SET II
S-02.32.01
 Dimension (inch/cm): h: 152" - 387 cm
 w: 166" - 423 cm
 Flow Rate: 60-80 gpm - 225-300 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø220" - ø560 cm



AQUA JET PLANE POST
S-02.33
 Dimension (inch/cm): h: 106" - 270 cm w: 35.4" - 90 cm
 Flow Rate: 7-11 gpm - 26-41 lpm
 Pressure: 8-15 psi - 0.6-1 bar
 Spray Zone (inch/cm): ø83" - ø211 cm

PLANE POST
S-02.33.01
 Dimension (inch/cm): h 125" - 318 cm
 75" - 190 cm
 Flow Rate: 7-11 gpm - 26-41 lpm
 Pressure: 8-15 psi - 0.6-1 bar
 Spray Zone (inch/cm): ø83" - ø211 cm



PRODUCTS



TRAFFIC LIGHT POST
S-02.33.02
Dimension (inch/cm): h: 122" - 310 cm
w: ø15.3" - ø39 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.6-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



STINGRAY POST
S-02.33.04
Dimension (inch/cm): h: 106" - 270 cm w: 35.4" - 90 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.6-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm

**FOUNTAIN ROCK III-
AQUA SHAPES**
S-02.36.02

Dimension (inch/cm): h: 25" - 63 cm
w: 54.3" - 138 cm
Flow Rate: 10-15 gpm - 38-55 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



**SEA TURTLE
AQUA SHAPES**
S-02.37
Dimension (inch/cm): h: 41.7" - 106 cm
w: 47.6" - 120 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



**OCTOPUS
AQUA SHAPE**
S-02.39
Dimension (inch/cm): h: 50.8" - 129 cm w: 38.2" - 97 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø60" - ø152 cm

AQUA NATURE VII
S-02.45

Dimension (inch/cm): h: 49.5" - 126 cm
w: 24.5" - 62 cm
Flow Rate: 10-15 gpm - 37-50 lpm
Pressure: 8-10 psi - 0.5-0.6 bar
Spray Zone (inch/cm): ø 60" - ø 152cm



**AQUA SEA
CRAB BUCKETS**
S-02.46
Dimension (inch/cm): h: 136.4" - 347 cm
w: 174" - 442 cm
Flow Rate: 60-80 gpm - 225-300 lpm
Pressure: 8-10 psi - 0.5-1 bar
Spray Zone (inch/cm): ø220" - ø560 cm



AQUA LOBSTER PLAY SET
S-02.47
Dimension (inch/cm): h: 102" - 260 cm w: 181" - 460 cm
Flow Rate: 60-80 gpm - 225-300 lpm
Pressure: 8-10 psi - 0.5-1 bar
Spray Zone (inch/cm): ø220" - ø560 cm

PUMP JACK
S-02.55.02

Dimension (inch/cm): h: 85.8" - 218 cm
w ø 99.2" - ø 252 cm
Flow Rate: 15-25 gpm - 57-95 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 144" - ø 366 cm



TRACTOR III
S-02.55.03
Dimension: h:104" - 264 cm w:55.1" - 140 cm
Flow Rate: 15-25 gpm - 57-95 lpm
Pressure: 8-15 psi - 0.55-1.03 bar
Spray Zone: ø162" - ø412cm



HOCKEY PUCK
S-02.57
Dimension (inch/cm): h: 15" - 40 cm w: ø 37" - ø 93 cm
Flow Rate: 8-10 gpm - 30-36 lpm
Pressure: 6-10 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 77" - ø 200 cm

BIENE
S-02.64

Dimension (inch/cm): h: 40.5" - 103 cm
23.6" - 60 cm
Flow Rate: 8-14 gpm - 30-53 lpm
Pressure: 8-14 psi - 0.6-1 bar
Spray Zone (inch/cm): ø120" - ø305 cm



PRODUCTS



TUBE SPONGE

S-02.67

Dimension (inch/cm): h: 21.6" - 55 cm
w: 12.2" - 31 cm
Flow Rate: 10-15 gpm - 37-50 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ϕ 83" - ϕ 211 cm



AQUA MIST MUSHROOM

S-02.71

Dimension (inch/cm): h: 22.5" - 57 cm w: 19" - 48 cm
Flow Rate: 8-14 gpm - 30-53 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ϕ 40" - ϕ 152 cm



AQUA DRY MUSHROOM

S-02.72

Dimension (inch/cm): h: 22.5" - 57 cm
w: 23.6" - 60 cm



AQUA WINDSOCK

S-02.76

Dimension (inch/cm): h: 114" - 292 cm
w: 44" - 114 cm
Flow Rate: 10-15 gpm - 37-56 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ϕ 100" - ϕ 255 cm



AQUA ARCHES

S-03.01

Dimension (inch/cm): h: 96" - 243 cm w: ϕ 146" - ϕ 371 cm
Flow Rate: 42-53 gpm - 153-200 lpm
Pressure: 18-26 psi - 1.25-1.9 bar
Spray Zone (inch/cm): ϕ 168" - ϕ 447 cm

AQUA SINGLE ARCH

S-03.01.04

Dimension (inch/cm): h: 86" - 219 cm
w: 116" - 295 cm
Flow Rate: 12-16 gpm - 45-60 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ϕ 102" - ϕ 260 cm



AQUA ORCA LOOP

S-03.02.04

Dimension (inch/cm): h: 94.5" - 240 cm
w: 82" - 208 cm
Flow Rate: 10-12 gpm - 36-48 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ϕ 144" - ϕ 365 cm



POMEGRANATE LOOP

S-03.02.05

Dimension (inch/cm): h: 98.8" - 251 cm w: 82" - 208 cm
Flow Rate: 10-12 gpm - 37-48 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ϕ 144" - ϕ 365 cm

BEE LOOP

S-03.02.06

Dimension (inch/cm): h: 92.5" - 235 cm
w: 87.6" - 222 cm
Flow Rate: 10-12 gpm - 36-48 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ϕ 102" - ϕ 260 cm



STAG ANTLERS LOOP

S-03.02.07

Dimension: h: 118.5" - 301 cm
w: 81.8" - 208 cm
Flow Rate: 10-12 gpm - 36-48 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone: 110" - 280 cm



BASKETBALL LOOP

S-03.02.12

Dimension (inch/cm): h: 94.8" - 241 cm w: 82" - 210 cm
Flow Rate: 10-14 gpm - 36-53 lpm
Pressure: 8-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ϕ 83" - ϕ 211 cm



BULL LOOP

S-03.02.14

Dimension (inch/cm): h: 81.8" - 208 cm
w: 88.2" - 226 cm
Flow Rate: 10-12 gpm - 36-48 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): 144" - 365 mm

PRODUCTS



DUCK LOOP
S-03.02.15

Dimension (inch/cm): h: 95.6" - 243 cm
w: 71.6" - 182 cm
Flow Rate: 10-12 gpm - 36-48 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): 110" - 280 cm



SHERIFF-LOOP
S-03.02.21

Dimension (inch/cm): h: 115.3" - 293 cm w: 82" - 210 cm
Flow Rate: 10-14 gpm - 36-53 lpm
Pressure: 8-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



SNAKE LOOP
S-03.02.22

Dimension (inch/cm): h: 101.2" - 242 cm
w: 41" - 104 cm
Flow Rate: 10-12 gpm - 36-48 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): 144" - 365 cm



OWL LOOP
S-03.02.23

Dimension (inch/cm): h: 102.3" - 260 cm
w: 91" - 231 cm
Flow Rate: 10-12 gpm - 36-48 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): 144" - 365 cm




ROOSTER LOOP
S-03.02.30

Dimension (inch/cm): h: 108.6" - 276 cm w: 74.8" - 190 cm
Flow Rate: 10-14 gpm - 36-53 lpm
Pressure: 8-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø100" - ø254 cm



ORANGE LOOP
S-03.02.34

Dimension (inch/cm): h: 108.6" - 276 cm
w: 74.8" - 190 cm
Flow Rate: 10-14 gpm - 36-53 lpm
Pressure: 8-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø100" - ø254 cm



WATERMELON LOOP
S-03.02.35

Dimension (inch/cm): h: 108.6" - 276 cm
w: 74.8" - 190 cm
Flow Rate: 10-14 gpm - 36-53 lpm
Pressure: 8-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø100" - ø254 cm



AQUA LOOP
S-03.02

Dimension (inch/cm): h: 79" - 200 cm w: 79" - 200 cm
Flow Rate: 10-12 gpm - 37-40 lpm
Pressure: 8-12 psi - 0.6 bar
Spray Zone (inch/cm): ø144" - ø365 mm



HEART LOOP
S-03.03.08

Dimension (inch/cm): h: 92.3" - 235 cm
w: 128.7" - 327 cm
Flow Rate: 10-12 gpm - 37-40 lpm
Pressure: 8-12 psi - 0.6 bar
Spray Zone (inch/cm): ø3" - ø90 mm




AQUA LOOP SET
S-03.03

Dimension: h: 78" - 200 cm
w: 78" - 200 cm
Flow Rate: 42-53 gpm - 153-200 lpm
Pressure: 6-18 psi - 0.4-0.8 bar
Spray Zone: ø83" - ø211 cm



AQUA DOLPHIN
S-03.04

Dimension (inch/cm): h: 109" - 227 cm w: 78" - 201 cm
Flow Rate: 10-14 gpm - 36-53 lpm
Pressure: 8-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



CAR WASH
S-03.05

Dimension (inch/cm): h: 100" - 254 cm
w: ø60" - ø152 cm
Flow Rate: 30-40 gpm - 113-151 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø156" - ø396 cm

PRODUCTS



AQUA ARCH
S-03.06

Dimension (inch/cm): h: 100" - 254 cm
w: 62" - 157 cm
Flow Rate: 12-16 gpm - 45-60 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø110" - ø280 cm



WATER CURTAIN
S-03.07

Dimension (inch/cm): h: 96" - 243 cm w: 75" - 190 cm
Flow Rate: 30-40 gpm - 113-151 lpm
Pressure: 18-28 psi - 1.25-2 bar
Spray Zone (inch/cm): ø83" - ø211 mm



AMERICAN FLAG
S-03.07.08

Dimension (inch/cm): h: 96" - 243 cm
w: 75" - 190 cm
Flow Rate: 20-30 gpm - 76-103 lpm
Pressure: 10-15 psi - 0.6-1 bar
Spray Zone (inch/cm): ø 90" - ø 228 cm



FROG LOOP
S-03.08

Dimension (inch/cm): h: 95" - 241 cm
w: 78" - 200 cm
Flow Rate: 10-14 gpm - 36-53 lpm
Pressure: 8-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø144" - ø365 cm



BEAR LOOP
S-03.08.02

Dimension (inch/cm): h: 114" - 290 cm w: 78" - 200 cm
Flow Rate: 10-14 gpm - 36-53 lpm
Pressure: 8-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø144" - ø365 cm



AQUA WHALE TAIL
S-03.10

Dimension (inch/cm): h: 96" - 241 cm
w: 60" - 152 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø116" - ø294 cm



WHALE TAIL II
S-03.10.01

Dimension (inch/cm): h: 55" - 140 cm
w: 42" - 107 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø60" - ø152 cm



**AQUA DOLPHIN
POST COLUMN**
S-03.13

Dimension (inch/cm): h: 121.6" - 301 cm w: 49.6" - 126 cm
Flow Rate: 7-12 gpm - 26-45 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



**AQUA SHARK
POST COLUMN**
S-03.14

Dimension (inch/cm): h: 127" - 323 cm
w: 78" - 198 cm
Flow Rate: 7-12 gpm - 26-45 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



TUSK ARCH
S-03.17

Dimension: h: 160" - 406 cm
w: 192" - 488 cm
Flow Rate: 7-10 gpm - 26-37 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone: ø164" - ø422 cm



**CROCODILE
CANNON**
S-04.01

Dimension (inch/cm): h: 53" - 134 cm w: 12" - 30 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø 95" - ø 240 cm



**POLAR BEAR
CANNON**
S-04.01.01.01

Dimension (inch/cm): h: 41" - 104 cm
w: 15.7" - 40 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø 100" - ø 254 cm

PRODUCTS



BUFFALO CANNON
S-04.01.01.03

Dimension (inch/cm): h: 49.6" - 126 cm w: 16.7" - 41 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø 100" - ø 254 cm



CANNON SOCCER BALL
S-04.01.08

Dimension (inch/cm): h: 50" - 127 cm w: 12" - 30 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø150" - ø381 mm

PIRATE CANNON
S-04.01.09

Dimension (inch/cm): h: 44.8" - 114 cm
w: 47.6" - 121 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø 95" - ø 240 cm



BASEBALL CANNON
S-04.03

Dimension (inch/cm): h: 50" - 127 cm
w: 8-12 psi - 0.5-0.8 bar
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø 95" - ø 240 cm



BASKETBALL CANNON
S-04.03.01

Dimension (inch/cm): h: 50" - 127 cm w: 12" - 30 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø 95" - ø 240 cm

AQUA CANNON III
S-04.02.04

Dimension (inch/cm): h: 44.8" - 114 cm
w: 30.3" - 77 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø 100" - ø 254 cm



TENNIS CANNON
S-04.03.01

Dimension (inch/cm): h: 50" - 127 cm
w: 12" - 30 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): 150" - 381 cm



BUTTERFLY CANNON
S-04.05.01

Dimension (inch/cm): h: 47.2" - 120 cm w: 25.6" - 65 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø100" - ø254 cm

WATERMELON CANNON
S-04.05.02

Dimension (inch/cm): h: 60.2" - 153 cm
w: ø25.6" - ø65 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø100" - ø254 cm



ICE HOCKEY CANNON
S-04.05.03

Dimension: h: 60" - 152.4 cm
w: 27.5" - 70 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone: ø 95" - ø 240 cm



AQUA SPLASH CLOWN
S-04.07.02

Dimension (inch/cm): h: 43" - 110 cm w: 50" - 128 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø 95" - ø 240 cm

MONKEY SPRAYER
S-04.10

Dimension (inch/cm): h: 39" - 99 cm
w: 28.3" - 72 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø120" - ø305 cm



PRODUCTS



AQUA CROCODILE
S-04.10.01
 Dimension (inch/cm): h: 59" - 150 cm
 w: 38" - 97 cm
 Flow Rate: 12-15 gpm - 45-56 lpm
 Pressure: 8-12 psi - 0.5-0.8 bar
 Spray Zone (inch/cm): $\phi 120"$ - $\phi 305$ cm



AQUA BLACK FISH
S-04.10.03
 Dimension (inch/cm): h: 51.1" - 130 cm w: 49" - 126 cm
 Flow Rate: 7-11 gpm - 26-41 lpm
 Pressure: 8-12 psi - 0.5-0.8 bar
 Spray Zone (inch/cm): $\phi 120"$ - $\phi 305$ cm



FISHY BEAR
S-04.10.16
 Dimension (inch/cm): h: 26" - 75 cm
 w: 20" - 52 cm
 Flow Rate: 12-15 gpm - 45-56 lpm
 Pressure: 8-12 psi - 0.5-0.8 bar
 Spray Zone (inch/cm): $\phi 120"$ - $\phi 305$ cm



PUFFERFISH
S-04.12
 Dimension (inch/cm): h: 51.1" - 130 cm
 w: 41.3" - 105 cm
 (1) Flow Rate: 10-15 gpm - 37-45 lpm
 (2) Flow Rate: 7-11 gpm - 26-41 lpm
 Pressure: 8-12 psi - 0.5-0.8 bar
 (1) Spray Zone (inch/cm): $\phi 150"$ - $\phi 381$ cm
 (2) Spray Zone (inch/cm): $\phi 95"$ - $\phi 240$ cm



HORSE CANNON III
S-04.01.07
 Dimension (inch/cm): h: 54" - 137 cm w: 22" - 55 cm
 Flow Rate: 7-11 gpm - 26-41 lpm
 Pressure: 8-12 psi - 0.5-0.8 bar
 Spray Zone (inch/cm): $\phi 95"$ - $\phi 240$ cm



WHEEL CANNON
S-04.17
 Dimension (inch/cm): h: 52" - 132 cm
 w: 45.6" - 116 cm
 Flow Rate: 7-11 gpm - 26-41 lpm
 Pressure: 8-15 psi - 0.5-1 bar
 Spray Zone (inch/cm): $\phi 168"$ - $\phi 427$ cm



AQUA JET
S-05.01
 Flow Rate: 3-4 gpm - 11-15 lpm
 Pressure: 4-8 psi - 0.3-0.8 bar
 Spray Zone (inch/cm): $\phi 50"$ - $\phi 127$ cm



STREAM JET
S-05.01.03
 Flow Rate: 3-5 gpm - 11-19 lpm
 Pressure: 4-8 psi - 0.24-0.55 bar
 Spray Zone (inch/cm): $\phi 65"$ - $\phi 165$ cm



AQUA JET VERTICAL
S-05.01.04
 Flow Rate: 3-4 gpm - 11-15 lpm
 Pressure: 4-8 psi - 0.3-0.8 bar
 Spray Zone (inch/cm): $\phi 50"$ - $\phi 127$ cm



CIRCULAR SHOWER
S-05.03
 Flow Rate: 10-12 gpm - 37-45 lpm
 Pressure: 4-8 psi - 0.3-0.5 bar
 Spray Zone: $\phi 120"$ - $\phi 305$ cm



POWER CIRCULAR SHOWER
S-05.04
 Flow Rate: 55-78 gpm - 208-265 lpm
 Pressure: 4-8 psi - 0.3-0.5 bar
 Spray Zone (inch/cm): $\phi 144"$ - $\phi 366$ cm



WAVESHOT
S-05.04.02
 Flow Rate: 12-48 gpm - 56-120 lpm
 Pressure: 4-8 psi - 0.3-0.8 bar
 Spray Zone (inch/cm): $\phi 87"$ - $\phi 221$ cm

PRODUCTS



AQUA TUNNEL
S-05.05
Dimension (inch/cm): h: 11.7" - 30 cm
Flow Rate: 15-25 gpm - 56-95 lpm
Pressure: 4-8 psi - 0.3-0.5 bar
Spray Zone (inch/cm): ø120" - ø305 cm



AQUA TUNNEL SET
S-05.05.01
Flow Rate: 32-48 gpm - 120-182 lpm
Pressure: 4-8 psi - 0.4-0.5 bar
Spray Zone (inch/cm): ø120" - ø305 cm



AQUA WALL TUNNEL
S-05.05.04
Flow Rate: 32-48 gpm - 120-182 lpm
Pressure: 4-8 psi - 0.3-0.5 bar
Spray Zone (inch/cm): ø120" - ø305 cm



AQUA WALL ARCH
S-05.05.05
Flow Rate: 8-14 gpm - 30-53 lpm
Pressure: 4-8 psi - 0.3-0.5 bar
Spray Zone (inch/cm): ø70" - ø178 cm



AQUA GEYSER
S-05.06
Flow Rate: 5-7 gpm - 19-26 lpm
Pressure: 4-6 psi - 0.3-0.4 bar
Spray Zone (inch/cm): ø60" - ø152 cm



AQUA SPRAY
S-05.06.01
Flow Rate: 5-7 gpm - 19-26 lpm
Pressure: 4-6 psi - 0.3-0.4 bar
Spray Zone (inch/cm): ø60" - ø152 cm



AQUA SPLIT
S-05.06.02
Flow Rate: 4-6 gpm - 15-23 lpm
Pressure: 5-6 psi - 0.3-0.4 bar
Spray Zone (inch/cm): ø90" - ø229 cm



AQUA MIST
S-05.07
Flow Rate: 9-18 gpm - 34-68 lpm
Pressure: 4-8 psi - 0.3-0.5 bar
Spray Zone (inch/cm): ø60" - ø152 cm



AQUA PEACOCK
S-05.11
Flow Rate: 12-48 gpm - 56-120 lpm
Pressure: 4-8 psi - 0.3-0.5 bar
Spray Zone (inch/cm): ø83" - ø211 cm



INTERACTIVE SPLASH
S-05.12
Flow Rate: 25-32 gpm - 91-121 lpm
Pressure: 14-18 psi - 1 bar
Spray Zone (inch/cm): ø83" - ø211 cm



LONGHORN BUCKETS
S-06.01.01
Dimension (inch/cm): w 125" - 318 cm h 153.4" - 390 cm
Flow Rate: 10-15 gpm - 37-50 lpm
Pressure: 8-15 psi - 1.25-1.7 bar
Spray Zone (inch/cm): ø162" - ø412 cm



SEA TURTLE BUCKETS
S-06.01
Dimension (inch/cm): w 145" - 368 cm
h 155.5" - 395 cm
Flow Rate: 10-15 gpm - 37-50 lpm
Pressure: 8-15 psi - 1.25-1.7 bar
Spray Zone (inch/cm): ø162" - ø412 cm

PRODUCTS



WAGON PLAY CENTER
S-06.05

Dimension (inch/cm): h: 78.7" - 200 cm
w: 44" - 112 cm
Flow Rate: 30-45 gpm - 113-226 lpm
Pressure: 15-30 psi - 1-2 bar
Spray Zone (inch/cm): ø154" - ø396 cm



AQUA LOCOMOTIVE
S-06.05.01

Dimension (inch/cm): h: 85" - 216 cm
w: 44" - 112 cm
Flow Rate: 30-45 gpm - 113-226 lpm
Pressure: 15-30 psi - 1-2 bar
Spray Zone (inch/cm): ø154" - ø396 cm



SEA FLAMINGO
S-06.07

Dimension (inch/cm): h: 122.8" - 312 cm w: 45" - 115 cm
Flow Rate: 10-15 gpm - 37-50 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø81" - ø211 cm



BOAT CANNON
S-06.08

Dimension (inch/cm): h: 45.4" - 116 cm
w: 59" - 150 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø168" - ø427 cm




PIRATE SAILOR POST
S-06.09.01

Dimension (inch/cm): h: 145" - 370 cm
w: 57" - 146 cm
Flow Rate: 8-16 gpm - 30-60 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø90" - ø228 cm



TROPICAL FOREST V
S-06.10.01

Dimension (inch/cm): h: 160" - 408 cm w: 103" - 264 cm
Flow Rate: 19-25 gpm - 72-76 lpm
Pressure: 5-10 psi - 0.3-0.5 bar
Spray Zone (inch/cm): ø 50" - ø 127 cm



AQUA SEA CRAB BUCKETS
S-06.13

Dimension (inch/cm): h: 142.5" - 362 cm
w: 143" - 364 cm
Flow Rate: 10-15 gpm - 37-50 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø178" - ø451 cm



SUBMARINE DUMP
S-06.14

Dimension (inch/cm): h: 307.5" - 781 cm
l: 168" - 428 cm
Flow Rate: 50-70 gpm - 189-265 lpm
Pressure: 8-12 - 0.6 bar



FISH SILHOUETTE
S-06.16

Dimension (inch/cm): h: 116" - 295 cm w: 50.6" - 128 cm
Flow Rate: 10-15 gpm - 37-50 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø110" - ø280 cm



AQUA DRIPPY
S-07.20

Dimension: h: 122.4" - 311 cm w: 34.6" - 88 cm
Flow Rate: 10-15 gpm - 37-56 lpm
Pressure: 6-12 psi - 0.4-0.6 bar
Spray Zone: ø83" - ø211 cm



CURVY RIVER
S-09.02.07

Dimension (inch/cm): h: 5.9" - 15 cm w: 67" - 171 cm
Flow Rate: 12-18 gpm - 45-68 lpm
Pressure: 8-14 psi - 0.6-1 bar
Spray Zone (inch/cm): 126.6" - 626 cm w: 67" - 171 cm



FOOT ACTIVATOR
S-20.03

Dimension (inch/cm): h: 1" - 2.54 cm

PRODUCTS



OCEAN ACTIVATOR
S-20.06.01
Dimension (inch/cm): h: 41.3" - 105 cm



**LED ACTIVATOR
SENSOR**
S-20.14
Dimension (inch/cm): h: 51" - 130 cm

**RAINBOW
TOT SLIDE**
S-25.01.01

Dimension (inch/cm): h: 59" - 150 cm
w: 29.5" - 75 cm
l: 143" - 362 cm
Flow Rate: 15-25 gpm - 57-95 lpm
Pressure: 8 - 15psi - 0.55-1.03 bar
Spray Zone (inch/cm): ø162" - ø412 cm



**SURFERS WAVE
SLIDE**
S-25.01.02
Dimension (inch/cm): h: 56" - 142 cm
w: 55.1" - 140 cm
l: 133.8" - 340 cm



COWBOY SLIDE
S-25.01.02.02
Dimension (inch/cm): h: 45" - 115 cm w: 27" - 70 cm
l: 115" - 293 cm

**ELEPHANT
TOT SLIDE**
S-25.01.03

Dimension (inch/cm): h: 59" - 150 cm
w: 29.5" - 75 cm
l: 143" - 362 cm
Flow Rate: 15-25 gpm - 57-95 lpm
Pressure: 8 - 15psi - 0.55-1.03 bar
Spray Zone (inch/cm): ø162" - ø412 cm



**HEDGEHOG
TOT SLIDE**
S-25.01.04
Dimension (inch/cm): h: 59" - 150 cm
w: 29.5" - 75 cm
l: 143" - 362 cm



MINI SLIDE
S-25.01.08
Dimension (inch/cm): h: 36.2" - 92.5 cm w: 27.5" - 70 cm
l: 114.1" - 290 cm

FISH SLIDE
S-25.01.13

Dimension (inch/cm): h: 89.7" - 228 cm
w: 147.6" - 375 cm
l: 365" - 927 cm



GOAT SLIDE
S-25.01.16
Dimension (inch/cm): h: 41.7" - 106 cm
w: 15.7" - 40 cm
l: 86.4" - 220 cm



AQUA BLUEFISH SLIDER
S-25.01.18
Dimension (inch/cm): h: 45" - 166 cm w: 57" - 147 cm
l: 177" - 450 cm

PENGUIN SLIDE

S-25.01.26
Dimension (inch/cm): h: 59" - 150 cm
w: 29.5" - 75 cm
l: 143" - 362 cm



PRODUCTS



SPLASH BUCKET III
S-25.04.05
 Dimension (inch/cm): h: 166" - 422 cm
 w: 44" - 112cm
 Flow Rate: 50-70 gpm - 189-265 lpm
 Pressure: 8-12 psi - 0.5-0.8 bar
 Spray Zone (inch/cm): ø189" - ø480 cm



BARREL BUCKET
S-25.04.05.04
 Dimension (inch/cm): h: 166" - 422 cm
 w: 44" - 112cm
 Flow Rate: 50-70 gpm - 189-265 lpm
 Pressure: 8-12 psi - 0.5 - 0.8 bar
 Spray Zone (inch/cm): ø189" - ø480 cm



WATERMILL BUCKET III
S-25.04.06
 Dimension (inch/cm): h: 167.3" - 425 cm
 w: 78.7" - 200 cm
 Flow Rate: 50-70 gpm - 189-265 lpm
 Pressure: 8-12 psi - 0.5-0.8 bar
 Spray Zone (inch/cm): ø189" - ø480 cm



AQUA SPLITTER
S-25.04.12
 Dimension (inch/cm): h: 171.2" - 435 cm
 w: 60" - 152 cm
 Flow Rate: 10-15 gpm - 38-57 lpm
 Pressure: 9-10 psi - 0.6-0.7 bar
 Spray Zone (inch/cm): ø189" - ø480 cm



BASEBALL GLOVE SLIDE
S-25.09
 Dimension (inch/cm): h: 81" - 205cm w: 130" - 330cm
 Flow Rate: 20 gpm - 76 lpm
 Pressure: 7-14 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø 158" - ø400cm



PIRATE SHIP
S-25.10
 Dimension (inch/cm): h: 185" - 470 cm
 w: 87" - 133 cm
 Flow Rate: 15-20 gpm - 56-75 lpm
 Pressure: 7-14 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø 158" - ø400cm



SAILING SHIP PLAY SET
S-25.10.04
 Dimension (inch/cm): h: 151" - 384 cm
 w: 219" - 557 cm
 Flow Rate: 14-24gpm - 53-106lpm
 Pressure: 14-18psi - 1-1.2 bar
 Spray Zone (inch/cm): ø168" - ø427 cm



AQUA SANDAL BOAT
S-25.10.08
 Dimension (inch/cm): h: 27" - 70 cm w: 47" - 120 cm
 Flow Rate: 20-30 gpm - 75-113 lpm
 Pressure: 15-30 psi - 1-2 bar
 Spray Zone (inch/cm): ø156" - ø396 cm



MULTI LEVEL SLIDE SYSTEM III - JUNGLE THEME
S-25.12.83.0004
 Dimension (inch/cm): h: 197" - 500 cm
 w: 315" - 800 cm
 l: 470" - 1200 cm
 Flow Rate: 85 gpm - 320 lpm
 Pressure: 7-14 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø 158" - ø 400 cm



MULTILEVEL SLIDE SYSTEM IV
S-25.12.84.0000
 Dimension (inch/cm): h: 165" - 420 cm
 w: 185" - 472 cm
 l: 233" - 593 cm
 Flow Rate: 85 gpm - 320 lpm
 Pressure: 7-14 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø 158" - ø 400 cm



MULTI LEVEL SLIDE SYSTEM IV
S-25.12.84.0000
 Dimension (inch/cm): h: 165" - 420 cm w: 185" - 472 cm l: 233" - 593 cm
 Flow Rate: 85 gpm - 320 lpm
 Pressure: 7-14 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø 158" - ø 400 cm



MULTI LEVEL SLIDE SYSTEM V
S-25.12.85.0000
 Dimension (inch/cm): h: 158" - 400 cm
 w: 155" - 390 cm
 l: 339" - 850 cm
 Flow Rate: 70 gpm - 318 lpm
 Pressure: 7-14 psi - 0.5-1 bar
 Spray Zone (inch/cm): ø 158" - ø 400 cm

PRODUCTS



**MULTI LEVEL SLIDE SYSTEM
V**
S-25.12.B5.0000
Dimension (inch/cm): h: 81" - 205cm w: 130" - 330cm
Flow Rate: 20 gpm - 76 lpm
Pressure: 7-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 158" - ø400cm



**MULTI LEVEL SLIDE SYSTEM
V-OCEAN**
S-25.12.B5.0001
Dimension (inch/cm): h: 81" - 205cm w: 130" - 330cm
Flow Rate: 20 gpm - 76 lpm
Pressure: 7-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 158" - ø400cm



AQUA TOT SLIDE PIRATE
S-25.20
Dimension (inch/cm): h: 91.3" - 232 cm w: 86.6" - 120 cm
Flow Rate: 4-10 gpm - 14-37 lpm
Pressure: 6-12 psi - 0.4-0.8 bar
Spray Zone (inch/cm): ø 150" - ø 381 cm



HELIX SLIDE
S-25.23
Dimension (inch/cm): h: 127" - 323 cm w: 150.7" - 383 cm



MULTI LEVEL SLIDE SYSTEM IX
S-25.26.01
Dimension (inch/cm): h: 167"-424 cm
w: 261"-612 cm l: 287"-730cm
Flow Rate: 110 gpm 415 lpm
Pressure: 7-14 psi 0.5-1 bar
Spray Zone (inch/cm): ø 250" - ø635cm



MULTI LEVEL PLAY SYSTEM
S-25.29
Dimension (inch/cm): h: 197" - 500 cm w: 505" - 1284 cm
l: 620" - 1575 cm
Flow Rate: 110-130 gpm - 416-492 lpm
Pressure: 7-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 158" - ø400cm



PIRATE SHIP MULTI SLIDE
S-25.34
Dimension (inch/cm): h: 216.5" - 550 cm w: 226" - 574 cm
l: 373.2" - 948 cm
Flow Rate: 110-160 gpm - 416-605 lpm
Pressure: 7-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 158" - ø400cm



PIRATE SHIP SLIDE
S-25.35
Dimension (inch/cm): h: 198" - 505 cm w: 225" - 570 cm
l: 315" - 800 cm
Flow Rate: 110-160 gpm - 416-605 lpm
Pressure: 7-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 158" - ø 400 cm



MULTILEVEL SLIDE SAFARI II 2
S-25.36
Dimension (inch/cm): h: 142" - 362 cm w: 175" - 445 cm l: 322"-819 cm
Flow Rate: 110-160 gpm - 416-605 lpm
Pressure: 7-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 158" - ø 400 cm



PIRATE MULTILEVEL II
S-25.37
Dimension (inch/cm): h: 177" - 450 cm w: 313.4" - 796 cm
l: 380.7" - 967 cm
Flow Rate: 110-160 gpm - 416-605 lpm
Pressure: 7-14 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 158" - ø400cm



BENCH
S-26.01
Dimension (inch/cm): h: 34.6" - 88 cm w: 71.5" - 181 cm



TABLE
S-26.03
Dimension (inch/cm): h: 33" - 84 cm w: 59" - 250 cm l: 94.4" - 240 cm

PRODUCTS



SHADE FABRIC
S-26.03.00.00

Dimension (inch/cm): h: 118" - 300cm
w: 196" - 500 cm
l: 157" - 400 cm



ONE POST SHADE
S-26.05.03

Dimension (inch/cm): h: 131" - 325 cm
w: 119" - 304cm
l: 125" - 320 cm



FIBERGLASS SEATING
S-26.07

Dimension (inch/cm): h: 10" - 45 cm w: 163" - 498 cm l: 46" - 196 cm



FIBERGLASS SEATING WITH SPRAYS
S-26.08

Dimension (inch/cm): h: 18" - 45 cm
w: 163" - 498 cm
l: 46" - 196 cm
Flow Rate: 5-12 gpm - 19-45 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø196" - 500cm



BELL SHOWER BARREL POST
S-95.05.01

Dimension (inch/cm): h: 188" - 478 cm w: 62" - 157 cm
Flow Rate: 15-25 gpm - 56-95 lpm
Pressure: 6-8 psi - 0.4-0.5 bar
Spray Zone (inch/cm): ø166" - ø422 cm



AQUA GARDEN I
S-97.01

Dimension (inch/cm): h: 144" - 366 cm
w: 89" - 226 cm
Flow Rate: 10-15 gpm - 37-56 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø180" - ø300 cm



AQUA LEAF II
S-97.01.05

Dimension (inch/cm): h: 137" - 350 cm
w: 61" - 155 cm
Flow Rate: 10-15 gpm - 37-56 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø180" - ø300 cm



FOOT AND SHOWER UNIT TOGETHER
S-97.03.07

Dimension (inch/cm): h: 120" - 304.8 cm
w: 50" - 127 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø100" - ø254 cm

FOOT AND SHOWER
S-97.03.06

Dimension (inch/cm): h: 120" - 304.8 cm
/ 50" - 127 cm
w: 50" - 127 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø100" - ø254 cm



AQUA DOME - TOT
S-97.06.01

Dimension: h: 43" - 109 cm w: 39.3" - 100 cm
Flow Rate: 3-4 gpm - 11-14 lpm
Pressure: 4-6 psi - 0.3-0.4 bar
Spray Zone: ø 83" - ø 211 cm



AQUA JELLY FISH POST
S-97.06.04

Dimension (inch/cm): h: 120" - 305 cm w: 39.3" - 100 cm
Flow Rate: 10-15 gpm - 37-56 lpm
Pressure: 6-12 psi - 0.4-0.6 bar
Spray Zone (inch/cm): ø83" - ø211 cm



DAISY POST
S-97.06.05

Dimension (inch/cm): h: 115.3" - 293 cm
w: ø47.6" - ø121 cm
Flow Rate: 10-15 gpm - 37-56 lpm
Pressure: 6-12 psi - 0.4-0.6 bar
Spray Zone (inch/cm): ø83" - ø211 cm

PRODUCTS




ORANGE SQUASH II S-97.06.07

Dimension (inch/cm): h: 137.8" - 350 cm
w: 55" - 140 cm
Flow Rate: 20-25 gpm - 80-95 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø118" - ø300 cm



EAGLE NEST POST S-97.06.08

Dimension (inch/cm): h: 133" - 338 cm w: 31.5" - 80 cm
Flow Rate: 8-12 gpm - 30-45 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): 8-15 psi - 0.5-1 bar



MAGNOLIA POST I S-97.06.10

Dimension (inch/cm): h: 125.8" - 345 cm
w: 63" - 160 cm
Flow Rate: 10-15 gpm - 37-56 lpm
Pressure: 6-12 psi - 0.4-0.6 bar
Spray Zone (inch/cm): ø83" - ø211 cm



MAGNOLIA POST II S-97.06.11

Dimension (inch/cm): h: 84.2" - 214 cm
w: 27" - 69 cm
Flow Rate: 7-11 gpm - 26-41 lpm
Pressure: 4-6 psi - 0.3-0.4 bar
Spray Zone (inch/cm): ø 80" - ø 211 cm




GARDEN ACTIVATOR S-97.07

Dimension (inch/cm): h: 40" - 101 cm

AQUA ACCENTS VARIANT S-97.10.06

Dimension (inch/cm): h: 36.6" - 93 cm
w: 81.5" - 206 cm
Flow Rate: 8-12 gpm - 30-45 lpm
Pressure: 7-10psi - 0.7 bar
Spray Zone (inch/cm): ø 118" - ø 300 cm



JET CURVE 2 S-98.05.02

Dimension (inch/cm): h: 94.5" - 240 cm
w: 14.2" - 36 cm
Flow Rate: 10-15 gpm - 37-56 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø 80" - ø 203cm



SPRAY'N WASH III S-99.01.04

Dimension (inch/cm): h: 60" - 152cm w: 8" - 20 cm
Flow Rate: 10-14 gpm - 37-53 lpm
Pressure: 14-18 psi - 1 bar
Spray Zone (inch/cm): ø 65" - ø 165cm

AQUA PELICAN S-99.10

Dimension (inch/cm): h: 157" - 399 cm
w: 30" - 75cm
Flow Rate: 19-25 gpm - 72-94 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø102" - ø259 cm



AQUA CONE S-99.21

Flow Rate: 6-10 gpm - 23-37 lpm
Pressure: 4-8 psi - 0.2-0.5 bar
Spray Zone: ø24" - ø61 cm



BIG APPLE S-99.25

Dimension (inch/cm): h: 39" - 100 cm
w: 33" - 86 cm l: 40" - 102 cm
Flow Rate: 9-11 gpm - 34-41 lpm
Pressure: 4-6 psi - 0.3-0.6 bar
Spray Zone (inch/cm): ø53.1" - ø135 cm

AQUA SUN LIGHT JR S-99.60.02

Dimension (inch/cm): h: 70" - 180 cm
w: 37" - 99 cm
Flow Rate: 18-15 gpm - 30-50 lpm
Pressure: 14-18 psi - 1-1.2 bar
Spray Zone (inch/cm): ø100" - ø254 cm



PRODUCTS




AQUA BARREL CANNON I
S-99.61
Dimension (inch/cm): h: 43" - 109 cm
w: 47.7" - 121 cm
Flow Rate: 8-15 gpm - 30-50 lpm
Pressure: 14-18 psi - 1-1.2 bar
Spray Zone (inch/cm): ø 150" - ø 381 cm




TENNIS BALL POST
S-99.66
Dimension (inch/cm): h: 126" - 319 cm
w: ø9.3" - ø24 cm
Flow Rate: 8-15 gpm - 30-40 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø50" - ø127 cm



TENNIS NET
S-99.67
Dimension (inch/cm): h: 127" - 322 cm
w: ø67" - ø170 cm
Flow Rate: 8-15 gpm - 30-60 lpm
Pressure: 8-15 psi - 0.5-1 bar
Spray Zone (inch/cm): ø80" - ø200 cm



TENNIS RACQUET LOOP
S-99.68
Dimension (inch/cm): h: 72" - 183 cm
w: 78" - 200 cm
Flow Rate: 10-12 gpm - 37-40 lpm
Pressure: 8-12 psi - 0.6 bar
Spray Zone (inch/cm): ø132" - ø335 mm



AQUA OIL DERRICK "S-99.97"
Dimension (inch/cm): h: 177" - 450 cm
w: ø7.7" - 192 cm
Flow Rate: 18-32 gpm - 68-121 lpm
Pressure: 8-12 psi - 0.5-0.8 bar
Spray Zone (inch/cm): ø189" - ø480 cm

Product Index

CODE	NAME	PAGE
OTHERS		
S-01.07.02	UMBRELLA FIBERGLASS TOPS	44
S-01.14	AQUA BUCKETS	44
S-01.14.01	AQUA ONE BUCKET	44
S-01.16	WATER FALL	44
S-01.18	AQUA HYDRANT	44
S-01.22	SHOWER TOWER	45
S-01.23	THREE BUCKETS	45
S-01.27.03	AQUA PERGOLA	46
S-01.28	FIVE BUCKETS	46
S-01.33	SHOWER CURTAIN	46
S-01.85	RAILROAD SIGN II	48
S-01.91	AQUA MAIL CATCHER	48
S-01.92	RAILROAD CROSSING GUARD	48
S-01.93	RAILROAD CROSSING SIGN	48
S-02.09.01	AQUA SPHERE I (24)	49
S-02.09.02	AQUA SPHERE II (36)	49
S-02.09.03	AQUA SPHERE III (48)	49
S-02.33	AQUA JET PLANE POST	50
S-02.33.01	PLANE POST	50
S-02.33.02	TRAFFIC LIGHT POST	51
S-02.55.02	PUMP JACK	51
S-02.76	AQUA WINDSOCK	52
S-03.01	AQUA ARCHES	52
S-03.02	AQUA LOOP	53
S-03.03	AQUA LOOP SET	53
S-03.03.08	HEART LOOP	53
S-03.05	AQUA CAR WASH	53
S-03.06	AQUA ARCH	54

CODE	NAME	PAGE
S-03.07	WATER CURTAIN	54
S-03.07.08	AMERICAN FLAG	54
S-04.02.04	AQUA CANNON III	55
S-09.02.07	CURVY RIVER	58
S-25.04.05	SPLASH BUCKET III	60
S-25.04.06	WATERMILL BUCKET III	60
S-25.04.12	AQUA SPLITTER	60
S-97.06.01	AQUA DOME TOT	62
S-97.10.06	AQUA ACCENTS VARIANT	63
S-98.05.02	JET CURVE 2	63
S-99.01.04	SPRAY N WASH III	63
S-99.60.02	AQUA SUN LIGHT JR	63
JUNGLE		
S-01.01.09	WOOZY BEAR MAYPOLE	44
S-01.09.07	NESSIE AND TAIL II	44
S-01.09.08	AQUA WURMY	44
S-01.33.03	SHOWER CURTAIN WITH PARROT	46
S-01.40.01	TIGER SPRAY	47
S-02.04.01	TIGER LOOP	49
S-02.31	SCORPION AQUA FORMS	50
S-02.32	AQUA SPIDER PLAY SET	50
S-02.32.01	AQUA SPIDER PLAY SET II	50
S-03.02.22	SNAKE LOOP	53
S-03.02.23	OWL LOOP	53
S-03.17	TUSK ARCH	54
S-04.01	CROCODILE CANNON	54
S-04.01.01.01	POLAR-BEAR-CANNON	54
S-04.10	MONKEY SPRAYER	55
S-04.10.01	AQUA CROCODILE	56
S-04.10.16	FISHY BEAR	56
S-06.10.01	TROPICAL FOREST V	58

Product Index

CODE	NAME	PAGE
S-07.20	AQUA DRIPPY	58
S-25.12.B3.0004	MULTI LEVEL SLIDE SYSTEM III- THEME JUNGLE	60
S-25.36	MULTILEVEL SLIDE SAFARI II 2	61

NATURE

S-01.01	AQUA FLOWER	44
S-01.02	PALM TREE	44
S-01.03	BUTTERFLY SPLASH II	44
S-01.19.16	PEACOCK	45
S-01.22.03	RAIN TANK	45
S-01.23.14	OLIVE TREE	45
S-01.28.05	ACORN FIVE BUCKETS	46
S-01.30	CAT TAIL	46
S-01.43	AQUA TULIP	47
S-01.43.03	CARNIVOR PLANT	47
S-01.46	GRASSHOPPER SPLASH	47
S-01.59.01	AQUA GRASS II	47
S-02.01	AQUA TURTLE	48
S-02.02	AQUA LADY BUG	48
S-02.07	AQUA NATURE IV	49
S-02.08.04	AQUA NATURE FROG II	49
S-02.08.08	AQUA NATURE BUG III	49
S-02.36.02	FOUNTAIN ROCK III AQUA SHAPES	51
S-02.37	SEA TURTLE AQUA SHAPES	51
S-02.45	AQUA NATURE VII	51
S-02.64	BIENE	51
S-02.71	AQUA MIST MUSHROOM	52
S-03.02.06	BEE-LOOP	52
S-03.02.07	STAG ANTLERS LOOP	52
S-03.02.15	DUCK LOOP	53
S-03.08	FROG LOOP	54
S-03.08.02	BEAR LOOP	54
S-04.05.01	BUTTERFLY CANNON	55
S-06.01	SEA TURTLE BUCKETS	57
S-97.01	GARDEN ACTIVATOR	63
S-97.01.05	AQUA-LEAF II	63
S-97.06.05	DAISY POST	63
S-97.06.10	MAGNOLIA POST I	63
S-97.06.11	MAGNOLIA POST II	63
S-99.10	AQUA PELICAN	63

OCEAN

S-01.28.04	OCEAN FIVE BUCKETS	46
S-01.54	AQUA ANCHOR	47
S-01.55	AQUA SEA HORSE	47
S-01.67	AQUA SURFBOARD	47
S-01.80	AQUA AHOY	48
S-02.08.12	AQUA STARFISH	49
S-02.09.04	BEACH BALL SPRAY	49
S-02.22	PEARL AQUA SHAPES	50
S-02.33.04	STINGRAY POST	51
S-02.39	OCTOPUS AQUA SHAPE	51
S-02.46	AQUA SEA CRAB BUCKETS	51
S-02.47	AQUA LOBSTER PLAY SET	51
S-02.67	TUBE SPONGE	52
S-03.02.04	AQUA ORCA LOOP	52
S-03.04	AQUA DOLPHIN	53
S-03.10	AQUA WHALE TAIL	54
S-03.10.01	WHALE TAIL II	54

CODE	NAME	PAGE
S-03.13	AQUA DOLPHIN POST COLUMN	54
S-03.14	AQUA SHARK POST COLUMN	54
S-04.07.02	AQUA SPLASH CLOWN	55
S-04.10.03	AQUA BLACK FISH	56
S-04.12	PUFFERFISH	56
S-06.07	SEA FLAMINGO	58
S-06.13	AQUA SEA CRAB BUCKETS	58
S-06.14	SUBMARINE DUMP	58
S-06.16	FISH SILHOUETTE	58
S-25.01.26	PENGUIN SLIDE	59
S-25.10.04	SAILING SHIP PLAY SET	60
S-25.10.08	AQUA SANDAL BOAT	60
S-25.12.B5.0001	MULTI LEVEL SLIDE SYSTEM V-OCEAN	61
S-97.06.04	AQUA JELLY FISH POST	62

ACTIVATORS

S-20.03	FOOT ACTIVATOR	58
S-20.06.01	OCEAN ACTIVATOR	59
S-20.14	LED ACTIVATOR SENSOR	59
S-97.07	GARDEN ACTIVATOR	63

FARM

S-01.28.03	ROOSTER BUCKETS	46
S-01.64	AQUA WHEAT	47
S-01.65	AQUA WINDMILL	47
S-01.87	AQUA CORN STALK	48
S-02.55.03	TRACTOR III	51
S-03.02.30	ROOSTER LOOP	53

FRUIT

S-01.28.07	LEMON FIVE BUCKETS	46
S-01.28.09	APPLE TREE BUCKET	46
S-01.71	PINEAPPLE POST	47
S-03.02.05	POMEGRANATE LOOP	52
S-03.02.34	ORANGE LOOP	53
S-03.02.35	WATERMELON LOOP	53
S-04.05.02	WATERMELON CANNON	55
S-97.06.07	ORANGE SQUASH II	63
S-99.25	BIG APPLE	63

GROUND SPRAY

S-05.01	AQUA JET	56
S-05.01.03	STREAM JET	56
S-05.01.04	AQUA JET VERTICAL	56
S-05.03	CIRCULAR SHOWER	56
S-05.04	POWER CIRCULAR SHOWER	56
S-05.04.02	WAVESHOT	56
S-05.05	AQUA TUNNEL	57
S-05.05.01	AQUA TUNNEL SET	57
S-05.05.04	AQUA WALL TUNNEL	57
S-05.05.05	AQUA WALL ARCH	57
S-05.06	AQUA GEYSER	57
S-05.06.01	AQUA SPRAY	57
S-05.06.02	AQUA SPLIT	57
S-05.07	AQUA MIST	57
S-05.11	AQUA PEACOCK	57
S-05.12	INTERACTIVE SPLASH	57
S-99.21	AQUA CONE	63

Product Index

CODE	NAME	PAGE
PIRATE		
S-01.20.02	PIRATE HAT	45
S-04.01.09	PIRATE CANNON	55
S-04.17	WHEEL CANNON	56
S-06.08	BOAT CANNON	58
S-06.09.01	PIRATE SAILOR POST	58
S-25.04.05.04	BARREL BUCKET	60
S-25.10	PIRATE SHIP	60
S-25.20	AQUA TOT SLIDE-PIRATE	61
S-25.34	PIRATE SHIP MULTI SLIDE	61
S-25.35	PIRATE SHIP SLIDE	61
S-25.37	PIRATE MULTILEVEL II	61
S-96.05.01	BELL SHOWER BARREL POST	62

SLIDES AND SPLASH TOWERS

S-25.01.01	RAINBOW TOT SLIDE	59
S-25.01.02	SURFERS WAVE SLIDE	59
S-25.01.03	ELEPHANT TOT SLIDE	59
S-25.01.04	HEDGEHOG TOT SLIDE	59
S-25.01.08	MINI SLIDE	59
S-25.01.13	FISH SLIDE	59
S-25.01.16	GOAT SLIDE	59
S-25.01.18	AQUA BLUEFISH SLIDER	59
S-25.09	BASEBALL GLOVE SLIDE	60
S-25.12.B4.0000	MULTI LEVEL SLIDE SYSTEM IV	60
S-25.12.B4.0000	MULTI LEVEL SLIDE SYSTEM IV	60
S-25.12.B5.0000	MULTI LEVEL SLIDE SYSTEM V	60
S-25.12.B5.0000	MULTI LEVEL SLIDE SYSTEM V	61
S-25.23	HELIX SLIDE	61
S-25.26.01	MULTI LEVEL SLIDE SYSTEM IX	61
S-25.29	MULTI LEVEL PLAY SYSTEM	61

SPORTS

S-01.23.01.01	THREE BUCKETS SOCCER THEME	45
S-01.28.12	FIVE BUCKETS SOCCER THEME	46
S-01.37	FOOTBALL GOAL POST	46
S-01.70.01	HOCKEY STICK	47
S-01.81	BASKETBALL PLAYER	48
S-01.82.01	TENNIS PLAYER	48
S-02.09.01.01	AQUA SPHERE (24) SOCCER THEME	49
S-02.09.01.02	AQUA SPHERE (24) TENNIS THEME	49
S-02.23	BASEBALL SPRAY	50
S-02.23.01	FOOTBALL SPRAY	50
S-02.24	BASKETBALL SPRAY	50

CODE	NAME	PAGE
S-02.25	SOCCER BALL SPRAY	50
S-02.28	TENNIS BALL SPRAY	50
S-02.28.02	GOLF BALL SPRAY	50
S-02.57	HOCKEY PUCK	51
S-03.02.12	BASKETBALL LOOP	52
S-04.01.08	CANNON SOCCER BALL	55
S-04.03	BASEBALL CANNON	55
S-04.03.01	BASKETBALL CANNON	55
S-04.03.08	TENNIS CANNON	55
S-04.05.03	ICE HOCKEY CANNON	55
S-99.66	TENNIS BALL POST	64
S-99.67	TENNIS NET	64
S-99.68	TENNIS RACQUET LOOP	64

SITE & AMENITIES

S-02.72	AQUA DRY MUSHROOM	52
S-26.01	BENCH	61
S-26.03	TABLE	61
S-26.03.00.00	SHADE FABRIC	62
S-26.05.03	ONE POST SHADE	62
S-26.07	FIBERGLASS SEATING	62
S-26.08	FIBERGLASS SEATING WITH SPRAYS	62
S-97.03.06	FOOT AND SHOWER	62
S-97.03.07	FOOT AND SHOWER UNIT TOGETHER	62

WESTERN

S 01.16.04	LASSO FLOWER	44
S 01.19.11	EAGLE POST II	45
S 01.20.01	COWBOY HAT	45
S 01.22.01	COWBOY TOWER	45
S 01.23.08	THREE BUCKETS WOLF	45
S 01.25	AQUA CACTUS	45
S 01.73	HAY BALE	48
S 02.03	AQUA BARREL	48
S 02.03.01	AQUA VARREL	49
S 03.02.14	BULL LOOP	52
S 03.02.21	SHERIFF LOOP	53
S 04.01.01.03	BUFFALO CANNON	55
S 06.01.01	LONGHORN BUCKETS	57
S 06.05.01	AQUA LOCOMOTIVE	58
S 06 05	WAGON PLAY CENTER	58
S 25.01.02.02	COWBOY SLIDE	59
S 97.06.08	EAGLE NEST POST	63
S 99.61	AQUA BARREL CANNON	64
S 99.97.01	AQUA OIL DERRICK II	64



Water Splash Installations around the World

Singapore • Chile • Turkey • Nigeria • Russia • Canaries • United Arab Emirates • Canada
 USA • Poland • Colombia • Spain • France • Reunion • Jordan • Hong Kong • Netherlands





US/Canada watersplashnet.com | info@watersplashnet.com | (800) 936-3430

France watersplashfrance.fr | contact@watersplashfrance.fr

Espana watersplashespana.com | contact@watersplashespana.com

     [watersplashinc](https://www.instagram.com/watersplashinc)